

Keep swinging



BIOSWING Boogie Classic



Configuration of the bestseller model:

- ✓ BIOSWING 3D Seating System
- ✓ Adjustable pelvic support
- ✓ Comfort saddle seat
- ✓ Pelvic balance
- ✓ Adjustable seat height
- ✓ Castors for hard or alternatively for soft floors

Upholstery:

fabric, black



Keep swinging



BIOSWING Boogie Switch



Configuration of the bestseller model:

- ✓ BIOSWING 3D Seating System
- ✓ Adjustable back support
- ✓ Flat seat
- ✓ Pelvic balance
- ✓ Adjustable seat height
- ✓ Castors for hard or alternatively for soft floors

Upholstery:

fabric, black



BIOSWING – improve your life

SMART SOLUTIONS FOR HEALTHY SITTING



BIOSWING Boogie

BIOSWING seating systems – tested and recommended by the Campaign for Healthier Backs (Aktion Gesunder Rücken e.V.)

The Campaign for Healthier Backs (AGR), an independent association, takes a deep interest in the back and health as a topic and has developed a **neutral seal of approval** which is awarded to products whose **back-friendly design** has been verified in thorough tests by an independent testing committee. All the BIOSWING ranges of models have been **tested, certified and rated as highly recommended seating systems** in the categories of “Active office chair” and “Active chair”.



The BIOSWING 3D SEATING SYSTEM



The intelligent, adaptive 3D movement technology

The adaptive 3D seating system in the BIOSWING system absorbs the body movement impulses generated when sitting and reflects them precisely and effectively. It is aligned with the logic of people’s bodies and movements when sitting and therefore adapts automatically and harmoniously to the natural frequencies of 0.8 to 2.7 hertz.

At www.bioswing.de you can learn more about the technology and the multiple effects on the body and mind.

BIOSWING – improve your life

SMART SOLUTIONS FOR HEALTHY SITTING

BIOSWING Boogie Bestseller – Technical data

	Boogie Classic	Boogie Switch
1 Seat diameter	42 cm	42 cm
2 Pelvic balance Adjustment of inclination of seat and back padding automatic and synchronous with the body	-6 to +6 degrees	-6 to +6 degrees
3 Seat height (Dimensioned in acc. with DIN standard with pressurised seat loading pad) Gas spring 1	With foot control +4 cm! 45 - 54 cm	With foot control +4 cm! 45 - 54 cm
Gas spring 2	50 - 63 cm	50 - 63 cm
Gas spring 3	58 - 76 cm	58 - 76 cm
Back/pelvic support	Pelvic support	Back support
6 Height adjustment range	6 cm	6 cm
7 Width	37 cm	64 cm
8 Height	11 cm	28 cm
9 Depth adjustment range	36 - 43 cm	35 - 42 cm
Size, packed, W x D x H	68 x 68 x 60 cm	68 x 68 x 106 cm
Weight, packed	16 - 20 kg	25 - 28 kg
Fabrics: linear metre x fabric width	55 x 140 cm	80 x 140 cm
Leather: effective, free from defects	1.5 sq.m.	2.0 sq.m.
Maximum capacity	125 kg	125 kg

(all size specifications ± 2%)

